امتحان وبائيات رابعة ترم ٢





Faculty of nursing

4th year

Date: 2/6/2016

second term exam

Epidemiology department

Epidemiology exam

Time allowed:3 hours

Total mark: 60

Page number: 2

تعليمات

الإجابة تكون بترتيب الأسئلة و بخط واضح و الخط غير المقروء كأن لم يكن الجابه كل سؤال تبدأ في أول صفحة جديده و يكتب رقم السؤال أعلى الصفحة.

ان يلتفت لإجابه أخري لنفس السؤال أو إجابه مشطوب عليها أو لجزء من إجابه سؤال مكتوب بعد إجابة سؤال أخر

Answer the following question(20 marks each question)

- 1. Write on ad hoc studies and their risk assessment.
- 2. Write on chemoprophylaxis and seroprophylaxis.
- 3. Check on the correct choose:
 - 1. Prevalence rate is determined through the following study:
 - A. Cross sectional
 - B. Cohort
 - C. Case-control
 - D. Experimental
 - 2. Extrinsic incubation period is present in:
 - A. Host of asexual maturation.
 - B. Host of sexual maturation.
 - C. Definitive host.
 - D. External environment
 - 3. Bolinustrancatus a :
 - A. Snail
 - B. Insect
 - C. Plant

- D. Non-animate
- 4. Mass treatment of cases of schistosomiasis is:
 - A. 2^{ry} prevention
 - B. 3^{ry} prevention
 - C. 1^{ry} prevention
 - D. Primordial prevention
- 5. One case of Ebola in a village is called:
 - A. Epidemic
 - B. Outbreak
 - C. Endemic
 - D. Sporadic
- 6. The worst complication of the disease is :
 - A. Death
 - B. Handicapping
 - C. Disability
 - D. Impairment
- Sub clinical state of a disease leads to:
 - A. Active natural immunization
 - B. Active artificial immunization
 - C. Passive natural immunization
 - D. Passive artificial immunization
- 8. In case of exposure to rabies virus, it is recommended to administer:
 - A. Artificial active and passive immunization.
 - B. Artificial active immunization and chemoprophylaxis
 - C. Artificial passive immunization and chemoprophylaxis
 - D. Chemoprophylaxis only
- 9. Tetracycline is used as a chemoprophylaxis for:
 - A. Cholera
 - B. Malaria
 - C. Gonorrhea
 - D. Plague
- 10. In cohort study, when relative risk is 1, this means;
 - A. No risk
 - B. Decrease risk
 - C. Increased risk
 - D. Risk difference BEST WISHES